

HD Video Surveillance IP Camera Reference Designs



IP Camera Solutions Enable Quick Product Development at Analog Camera Price Points

Texas Instruments offers multiple highly optimized reference designs based on the TMS320DM3xx and DMVA1 DaVinci™ video processors for the IP camera market to enable developers to speed through the design process as well as reducing overall bill of materials costs. These reference designs:


- Reduce development time by 90 percent
- Deliver higher quality, full HD images
- Decrease electronic bill of materials
- Empower customers to bring U.S. \$150 HD IP cameras to the market

These solutions reduce development to under four months by including:

- Complete schematics
- Gerber files
- Support for select Aptina, Omnivision and Sony image sensors
- Free Linux application source code, including:
 - Simple motion detection

- Integrated auto white balance and auto exposure
- Tri-streaming HD H.264 HP, MPEG-4 and MJPEG with smart codec technology
- Advanced features: Lens distortion correction, face detection, face recognition, 2-D/3-D video noise filters, global dynamic

- range enhancement, AES encryption, OSD, mirroring and privacy masking
- PSIA standard compliance
- DaVinci IP camera software framework including I/O application programming interfaces (APIs), media APIs and DaVinci Codec Engine



▲ TMS320DM3x-based IP camera reference design software

Multiple Reference Designs Available Based on TI Technology:

TI's DM36x-based IP camera solutions are:

- **Smart Analytics IP Camera Reference Design** (part #: DMVA1IPNC-MT5): Single platform solution provides H.264 D1 30fps + H.264 CIF 30fps + Smart Analytics
- **DM36x IP Camera Reference Design** (part #: DM368IPNC-MT5): Single-platform solution provides full HD, 1080p30
- **DM365 IP Camera Reference Design** (part #: DM365IPNC-MT5): Single-platform solution provides H.264 in HD with tri-streaming
- **DM355 IP Camera Reference Design** (part #: DM355IPNC-MT5): Single-platform solution provides MPEG-4 in HD with tri-streaming

Order via www.ti.com/ipcamera

DMVA1 IP Camera Reference Design with Integrated Smart Video Analytics @ U.S. \$795


TI's latest reference design provides entry-level analytics including people counting, trip zone, intelligent motion detection, camera tamper detection and streaming metadata.

Hardware features

- TMS320DMVA1 DaVinci™ video processor includes ARM926, vision coprocessor, H.264 video coprocessor, EMAC, RTC and integrated voice codec for BOM savings
- Board size 65x50mm
- Power over Ethernet, audio, SD storage

Software features

- TI smart video analytics which includes camera tamper detection, intelligent motion detection, trip zone, people counting and streaming metadata



▲ DMVA1 IP Camera Reference Design block diagram: DMVA1IPNC-MT5



▲ DMVA1IPNC-MT5 IP Camera Reference Design available from Appro Photoelectron Inc.

- Smart Analytics GUI for setup, control and management of each of the Smart Analytics applications
- Complete Linux-based IP camera application including free source code
- Encode up to H.264 high profile. Level 3.1 D1 at 30 fps or 720p at 10 fps including MPEG-4 and MJPEG support
- TI's second-generation advanced graphical user interface
- Integrated auto white balance and auto exposure
- Face detection and privacy masking
- New TI royalty-free, production-ready smart codec included
- Software framework includes input/output and media APIs, codec engine
- Ability to add additional video analytics with DaVinci TMS320DM643x DSP

DM368 IP Camera Reference Design: H.264 main profile 1080p at 30 fps DM368IPNC-MT5 @ U.S. \$995


TI's DM36x IP camera reference design provides full HD video with 30 percent boost in host processing performance, advanced software for image signal processing tuning and encryption.

Hardware features

- TI's TMS320DM36x DaVinci video processor includes ARM926 @

432 MHz and H.264 hardware video coprocessor, EMAC, RTC and integrated voice codec for BOM savings


- Board size 65x50-mm, low power (3W)
- Power over Ethernet, audio, SD storage
- PSIA compliant



▲ DM368IPNC-MT5 IP Camera Reference Design available from Appro Photoelectron Inc.

Software features

- Complete Linux-based IP camera application including free source code
- TI's second-generation advanced graphical user interface
- Encode up to H.264 main profile 1080p at 30 fps or 720p at 60 fps; MPEG-4 up to 720p at 60 fps; MJPEG at 5 Megapixels at 15 fps
- Triple stream per channel (H.264, MPEG-4, MJPEG)
- Integrated auto white balance and auto exposure
- Royalty-free, production-ready codecs included
- Software framework includes input/output and media APIs, codec engine
- Ability to add video analytics with DaVinci™ TMS320DM643x DSP
- PSIA standard support



▲ IP Camera Reference Design block diagram: DM368IPNC-MT5

DM365 IP Camera Reference Design: DM365IPNC-MT5 @ U.S. \$795


TI's DM365 reference design is a single-platform solution that provides H.264 in HD with tri-streaming.

Hardware features

- TI TMS320DM365 DaVinci™ video processor includes ARM926 @ 300 MHz and H.264 HW video coprocessor, EMAC, RTC and integrated voice codec for BOM savings
- Board size 65x50 mm, low-power (3W)
- Power over Ethernet, audio, SD storage



▲ DM365IPNC-MT5 IP Camera Reference Design available from Appro Photoelectron Inc.



▲ DM365 IP Camera Reference Design block diagram: DM365IPNC-MT5

Software features

- Complete Linux-based IP camera application including free source code
- Encode up to H.264/MPEG-4 HD 1080p at reduced frame rate or 720p full frame rate
- Triple stream per channel (H.264, MPEG-4, MJPEG)
- Integrated auto white balance and auto exposure
- Royalty-free, production-ready codecs included
- Software framework includes input/output and media APIs, codec engine
- Ability to add video analytics with DaVinci TMS320DM643x DSP
- PSIA standard support

TMS320DM355 IP Camera Reference Design: DM355IPNC-MT5 @ U.S. \$795

The DM355-based IP camera highly optimized reference design is a single-platform solution providing MPEG-4 and HD with tri-streaming.

Hardware features

- TMS320DM355 SoC, ARM926 @ 270 MHz and hardware video coprocessor
- Board size 65x50 mm
- Low power (< 3W)


Software features

- Complete Linux-based IP camera application including free source code

- Dual-stream capabilities
 - MPEG-4 HD 720p + MPEG-4 CIF + G.711
 - MPEG-4 HD 720p + MJPEG CIF + G.711
- Integrated auto white balance and auto exposure
- Field-proven, robust, royalty-free bundled MPEG-4 and MJPEG video codecs
- DaVinci™ IP camera software framework including I/O APIs, media APIs and DaVinci Codec Engine



▲ DM355IPNC-MT5 IP Camera Reference Design available from Appro Photoelectron Inc.



▲ Base DM355 IP Camera Reference Design block diagram: DM355IPNC-MT5

www.ti.com/ipcamera

Important Notice: The products and services of Texas Instruments Incorporated and its subsidiaries described herein are sold subject to TI's standard terms and conditions of sale. Customers are advised to obtain the most current and complete information about TI products and services before placing orders. TI assumes no liability for applications assistance, customer's applications or product designs, software performance, or infringement of patents. The publication of information regarding any other company's products or services does not constitute TI's approval, warranty or endorsement thereof.

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products		Applications	
Amplifiers	amplifier.ti.com	Audio	www.ti.com/audio
Data Converters	dataconverter.ti.com	Automotive	www.ti.com/automotive
DLP® Products	www.dlp.com	Communications and Telecom	www.ti.com/communications
DSP	dsp.ti.com	Computers and Peripherals	www.ti.com/computers
Clocks and Timers	www.ti.com/clocks	Consumer Electronics	www.ti.com/consumer-apps
Interface	interface.ti.com	Energy	www.ti.com/energy
Logic	logic.ti.com	Industrial	www.ti.com/industrial
Power Mgmt	power.ti.com	Medical	www.ti.com/medical
Microcontrollers	microcontroller.ti.com	Security	www.ti.com/security
RFID	www.ti-rfid.com	Space, Avionics & Defense	www.ti.com/space-avionics-defense
RF/IF and ZigBee® Solutions	www.ti.com/lprf	Video and Imaging	www.ti.com/video
		Wireless	www.ti.com/wireless-apps